


Acoustic Tiles are hi-efficient sound-absorbing solutions for school, home, and office use.

Tockky combines acoustic felt tiles, with industry-unique surface "flocking" create velvet-like acoustical panels.







Size **1'x1'** Thickness 12mm(1/2") PRODUCT - PET wall panel CONTENT - Recycled PET felt Wall Instal 1-1/2" AirGap **NRC 0,39** NRC 0,51

Thickness Size **1'x2'** 12mm(1/2") PRODUCT - PET wall tile CONTENT - Recycled PET felt Wall Instal 1-1/2" AirGap NRC 0,39 NRC 0,51

Thickness Size **2'x2'** 12mm(1/2") PRODUCT - PET wall tile CONTENT - Recycled PET felt Wall Instal 1-1/2" AirGap NRC 0,39 NRC 0,51

Size Thickness 2'x4' 12mm(1/2") PRODUCT - PET wall tile CONTENT - Recycled PET felt Wall Instal NRC 0,39 NRC 0,51

1-1/2" AirGap

Size Thickness 12mm(1/2") 2'x8' PRODUCT - PET wall tile CONTENT - Recycled PET felt Wall Instal 1-1/2" AirGap **NRC 0,39** NRC 0,51

"TOCKKY FLOCK" Tiles standard size is 1'x1' and 2'x2' depends on color and availability.

"TOCKKY FLOCK" Tiles are unique acoustical panels. It is PET felt panel cover by flock layer. This is process was perfected in-house by Tockky engineers.

Flocking process over acoustical panels combines hi-quality finish with desire acoustic properties.

Our panels can be manufactured up to 2'x10' and thickness up to 1".

That expands fabrication and installation options, as well as reduce cutting waste.

For significant improvement in NRC, we introduce the "off-the-wall" grid mount that off-set panels from the wall 1-1/2".

## TOCKKY FLOCK TILES









## LEEDv4 CERTIFICATION

"TOCKKY" Panels are fire rated "A" based on ASTM-E84

"TOCKKY" Panels are industry leading LEEDv4 certified in 2019.
Reference CDPH Standard Method v1.2, Table 4.1 LEED v4 - Low Emmiting Materials.

## **TEST RESULTS**


MODELING SCENARIO	RESULT (PASS/FAIL)	TVOC (mg m <sup>-3</sup> )
Private Office (PO)	PASS	0.1
School Classroom (SC)	PASS	< 0.1
Single Family Residence (R)*	PASS	0.4


<sup>\*</sup>Note: The single family residence scenario is not yet a CDPH requirement. It is provided for informational purposes only.























TOCKKY
"FLOCK"

COLOR PALETTE